EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6,658,081" "5,774,660").pn.	US-PGPUB; USPAT	OR	ON	2006/06/12 07:18
L2	0	l1 and common near12 address	US-PGPUB; USPAT	OR	ON	2006/06/12 07:21
L3	1	"6941366".pn.	US-PGPUB; USPAT	OR	ON	2006/06/12 07:22
L4	1	l3 and common adj4 address	US-PGPUB; USPAT	OR	ON	2006/06/12 07:22
L6	8	("6,609,213" "5,652,908" "6,754,707" "6,202,169" "6,145,094" "6,104,716" "6,658,081" "5,774,660").pn.	US-PGPUB; USPAT	OR	ON	2006/06/12 07:52
L7	57	"l8" and common near5 address	US-PGPUB; USPAT	OR	OFF	2006/06/12 07:53
L8	1	l6 and common near5 address	US-PGPUB; USPAT	OR	OFF	2006/06/12 07:53
L9	8	("1209864").PN.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2006/06/12 07:53
L10	0	identify$ and request$ and level adj service same transaction	USPAT; DERWENT	OR	OFF	2006/06/12 07:53
L11	0	identify$ and request$ and level same service same transation	USPAT; DERWENT	OR	OFF	2006/06/12 07:53
L12	0	identify$ and request$ and level adj service same transation	USPAT; DERWENT	OR	OFF	2006/06/12 07:53
L13	0	select$ and assign$ and direct$ and read$ and request$ and identify$ same level adj service and trasaction	USPAT; DERWENT	OR	OFF	2006/06/12 07:53
L14	0	select$ and assign$ and direct$ and read$ and identify$ same level adj service and trasaction	USPAT; DERWENT	OR	OFF	2006/06/12 07:53
L15	1350	709/226.ccls.	USPAT; DERWENT	OR	OFF	2006/06/12 07:53
L16	4	(709/226.ccls. and identify$ same transaction) and request$ same level adj service	USPAT; DERWENT	OR	OFF	2006/06/12 07:53
L17	21	(709/226.ccls. and identify$ same transaction) and priority	USPAT; DERWENT	OR	OFF	2006/06/12 07:53
L18	17	((709/226.ccls. and identify$ same transaction) and priority) and identify$ and route$	USPAT; DERWENT	OR	OFF	2006/06/12 07:53

EAST Search History

L19	0	("transaction").PN.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2006/06/12 07:53
L20	386	transaction near (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2 or recover$1)	USPAT	OR	OFF	2006/06/12 07:53
L21	545	((priority or size) near transaction or identif$6 near user near transaction)	USPAT	OR	OFF	2006/06/12 07:53
L22	5	(transaction near (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2 or recover$1)) and (((priority or size) near transaction or identif$6 near user near transaction))	USPAT	OR	OFF	2006/06/12 07:53
L23	813	transaction with (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2)	USPAT	OR	OFF	2006/06/12 07:53
L24	51	(((priority or size) near transaction or identif$6 near user near transaction)) and (transaction with (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2))	USPAT	OR	OFF	2006/06/12 07:53
L25	11	"2252126"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/06/12 07:53
L26	0	"9565259".ptan.	USPAT	OR	OFF	2006/06/12 07:53
L27	0	"9565259".PTAN.	USPAT	OR	OFF	2006/06/12 07:53
L28	0	"9565259".PN.	USPAT	OR	OFF	2006/06/12 07:53
L29	0	"9565259"	USPAT	OR	OFF	2006/06/12 07:53
L30	4	((selec$2 same request$2 same qos or los) same assign$2) and load$2 near balanc$2	USPAT	OR	OFF	2006/06/12 07:53
L31	331	(selec$2 same request$2 same qos or los) same assign$2	USPAT	OR	OFF	2006/06/12 07:53
L32	4	(((selec$2 same request$2 same qos or los) same assign$2) and load$2 near balanc$2) and ((selec$2 same request$2 same qos or los) same assign$2)	USPAT	OR	OFF	2006/06/12 07:53
L33	270158	identif$2 saame request$2 same (los or qos)	USPAT	OR	OFF	2006/06/12 07:53
L34	21663	(identif$2 saame request$2 same (los or qos)) and select$2 same assign$2	USPAT	OR	OFF	2006/06/12 07:53

EAST Search History

L35	14928	((identif$2 saame request$2 same (los or qos)) and select$2 same assign$2) and rout$2 (transaction or information) adj type	USPAT	OR	OFF	2006/06/12 07:53
L36	793	((identif$2 saame request$2 same (los or qos)) and select$2 same assign$2) and 709/223-232.ccls.	USPAT	OR	OFF	2006/06/12 07:53
L37	0	(((identif$2 saame request$2 same (los or qos)) and select$2 same assign$2) and 709/223-232.ccls.) and (user adj detifier)	USPAT	OR	OFF	2006/06/12 07:53
L38	82	(((identif$2 saame request$2 same (los or qos)) and select$2 same assign$2) and 709/223-232.ccls.) and user near identif$2	USPAT	OR	OFF	2006/06/12 07:53
L39	6440	709/226,225,224,228,229.ccls.	USPAT	OR	OFF	2006/06/12 07:53
L40	0	709/226,225,224,228,229.ccls. and (((quality adj service) or qos) and (request$ or session or transaction)and load$ and(even adj distribution)).ab.	USPAT	OR	OFF	2006/06/12 07:53
L41	6	709/226,225,224,228,229.ccls. and (((quality adj service) or qos) and (request$ or session or transaction)and load$ anddistribution).ab.	USPAT	OR	OFF	2006/06/12 07:53
L42	0	((backup or stor$2) near (qos or quality adj service)) and rquest$2 same select$ near assign$	USPAT	OR	OFF	2006/06/12 07:53
L43	0	((backup or stor$2) near (qos or quality adj service)) and rquest$2 and select$ near assign$	USPAT	OR	OFF	2006/06/12 07:53
L44	0	((backup or stor$2) near (qos or quality adj service)) and rquest$ and select$ near assign$	USPAT	OR	OFF	2006/06/12 07:53
L45	75	(backup or stor$2) near (qos or quality adj service)	USPAT	OR	OFF	2006/06/12 07:53
L46	65	((backup or stor$2) near (qos or quality adj service)) and select$	USPAT	OR	OFF	2006/06/12 07:53
L47	15	((backup or stor$2) near (qos or quality adj service)) and server near client	USPAT	OR	OFF	2006/06/12 07:54
L48	0	transaction near (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2 or recover$1)and (transaction or session) adj typ	USPAT	OR	OFF	2006/06/12 07:54

L49	22	transaction near (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2 or recover$1)and (transaction or session) adj type	USPAT	OR	OFF	2006/06/12 07:54
L50	0	709/226,225,224,228,229.ccls. and (((quality adj service) or qos) and (request$ or session or transaction)).ab. and (transaction near (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2 or recover$1)and (transaction or session) adj type)	USPAT	OR	OFF	2006/06/12 07:54
L51	0	transaction near (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2 or recover$1)and (transaction or session) adj type and request$ near (qos or (quality adj service) or los or (level adj service))	USPAT	OR	OFF	2006/06/12 07:54
L52	0	transaction near (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2 or recover$1)and (transaction or session) adj type and request$ near (qos or (quality adj service))	USPAT	OR	OFF	2006/06/12 07:54
L53	0	transaction near (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2 or recover$1)and (transaction or session) adj type and (request$ near (qos or (quality adj service)))	USPAT	OR	OFF	2006/06/12 07:54
L54	1	transaction near (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2 or recover$1)and (transaction or session) adj type and request$ and (qos or (quality adj service))	USPAT	OR	OFF	2006/06/12 07:54
L55	1	transaction near (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2 or recover$1)and (transaction or session) adj type and (qos or (quality adj service))	USPAT	OR	OFF	2006/06/12 07:54
L56	0	709/226,225,224,228,229.ccls. and (((quality adj service) or qos) and (request$ or session or transaction))and (transaction near (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2 or recover$1)and (transaction or session) adj type)	USPAT	OR	OFF	2006/06/12 07:54

EAST Search History

L57	1	transaction near (load$3 near balanc$3 or fail$1over or toleran$2 or redundan$2 or recover$1)and (transaction or session) adj type and qos	USPAT	OR	OFF	2006/06/12 07:54
L58	0	709/226,225,224,228,229.ccls. and (((quality adj service) or qos) and (request$ or session or transaction)).ab. and (transaction or session) adj type	USPAT	OR	OFF	2006/06/12 07:54
L59	0	709/226,225,224,228,229.ccls. and (((quality adj service) or qos) and (request$ or session or transaction)).ab. and (transaction or session) near type	USPAT	OR	OFF	2006/06/12 07:54
L60	0	(transaction or session) near type and 709/226,225,224,228,229.ccls. and (((quality adj service) or qos) and (request$ or session or transaction)).ab.	USPAT	OR	OFF	2006/06/12 07:54
L61	8209	transaction near qos or (quality adj service)	USPAT	OR	OFF	2006/06/12 07:54
L62	109	(transaction near qos or (quality adj service)) near type	USPAT	OR	OFF	2006/06/12 07:54
L63	76	((transaction near qos or (quality adj service)) near type) and (fail$1over or redundan$2 or load$2)	USPAT	OR	OFF	2006/06/12 07:54
L64	27	(((transaction near qos or (quality adj service)) near type) and (fail$1over or redundan$2 or load$2)) and (request$2 near (qos or (quality adj service)))	USPAT	OR	OFF	2006/06/12 07:54
L65	1	"6389448".pn.	USPAT	OR	OFF	2006/06/12 07:54
L66	8223	direct$ and redirct$ or assign$2 and (load$2 adj balanc$2) and qos or (quality adj service)	USPAT	OR	OFF	2006/06/12 07:54
L67	7522	(direct$ and redirct$ or assign$2 and (load$2 adj balanc$2) and qos or (quality adj service)) and network	USPAT	OR	OFF	2006/06/12 07:54
L68	2647	((direct$ and redirct$ or assign$2 and (load$2 adj balanc$2) and qos or (quality adj service)) and network) and router	USPAT	OR	OFF	2006/06/12 07:54
L69	4862	((direct$ and redirct$ or assign$2 and (load$2 adj balanc$2) and qos or (quality adj service)) and network) and rout$2	USPAT	OR	OFF	2006/06/12 07:54

L70	42	((((direct$ and redirct$ or assign$2 and (load$2 adj balanc$2) and qos or (quality adj service)) and network) and rout$2) and (server near index)	USPAT	OR	OFF	2006/06/12 07:54
L71	596218	((((direct$ and redirct$ or assign$2 and (load$2 adj balanc$2) and qos or (quality adj service)) and network) and rout$2) and (server near index)) and transaction or content	USPAT	OR	OFF	2006/06/12 07:54
L72	42	((((direct$ and redirct$ or assign$2 and (load$2 adj balanc$2) and qos or (quality adj service)) and network) and rout$2) and (server near index)) and (client near server)	USPAT	OR	OFF	2006/06/12 07:54
L73	41	(((((direct$ and redirct$ or assign$2 and (load$2 adj balanc$2) and qos or (quality adj service)) and network) and rout$2) and (server near index)) and (client near server)) and (client near request$2) and (server near request$)	USPAT	OR	OFF	2006/06/12 07:54
L74	34	(((direct$ and redirct$ or assign$2 and (load$2 adj balanc$2) and qos or (quality adj service)) and network) and rout$2) and (server adj index)	USPAT	OR	OFF	2006/06/12 07:54
L75	30	((((direct$ and redirct$ or assign$2 and (load$2 adj balanc$2) and qos or (quality adj service)) and network) and rout$2) and (server adj index)) and (load adj balancer)	USPAT	OR	OFF	2006/06/12 07:54
L76	30	((((direct$ and redirct$ or assign$2 and (load$2 adj balanc$2) and qos or (quality adj service)) and network) and rout$2) and (server adj index)) and (load adj balancer)and (server adj index)	USPAT	OR	OFF	2006/06/12 07:54
L77	1	"6389448".pn.	USPAT	OR	OFF	2006/06/12 07:54
L78	1	"6006264".pn.	USPAT	OR	OFF	2006/06/12 07:54
L79	1	"6449647".pn.	USPAT	OR	OFF	2006/06/12 07:54
L80	0	"09764500".ap.	USPAT	OR	OFF	2006/06/12 07:54
L81	3	"764500".ap.	USPAT	OR	OFF	2006/06/12 07:54
L82	0	"9401419".ap.	USPAT	OR	OFF	2006/06/12 07:54
L83	0	"09401419".ap.	USPAT	OR	OFF	2006/06/12 07:54
L84	0	"09401419"	USPAT	OR	OFF	2006/06/12 07:54

L85	0	709/223-232.ccls	USPAT	OR	OFF	2006/06/12 07:54
L86	10297	709/223-232.ccls.	USPAT	OR	OFF	2006/06/12 07:54
L87	3449	709/223-232.ccls. and fail$2 or rdundan$2	USPAT	OR	OFF	2006/06/12 07:54
L88	1258	(709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network	USPAT	OR	OFF	2006/06/12 07:54
L89	1035	((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$	USPAT	OR	OFF	2006/06/12 07:54
L90	29	((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$ near processor	USPAT	OR	OFF	2006/06/12 07:54
L91	9	((((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$) and @ad>="20010117") and ipsec	USPAT	OR	OFF	2006/06/12 07:54
L92	941331	((((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$) and @ad>="20010117") and ipsec or secur$2	USPAT	OR	OFF	2006/06/12 07:54
L93	46	((((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$) and @ad>="20010117") and backup	USPAT	OR	OFF	2006/06/12 07:54
L94	854	(((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$) and @ad<="20010117"	USPAT	OR	OFF	2006/06/12 07:54
L95	202	((((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$) and @ad<="20010117") and backup	USPAT	OR	OFF	2006/06/12 07:54
L96	16	(((((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$) and @ad<="20010117") and backup) and ipsec	USPAT	OR	OFF	2006/06/12 07:54
L97	67	(((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$) and @ad<="20010117" and (common same network same address)	USPAT	OR	OFF	2006/06/12 07:54

EAST Search History

L98	12	(((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$) and @ad<="20010117" and (common same network same address)and backup and ipsec	USPAT	OR	OFF	2006/06/12 07:54
L99	1	(((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$) and @ad<="20010117" and (common same network same address)and (distribution adj processor)	USPAT	OR	OFF	2006/06/12 07:54
L100	5	709/223-232.ccls. and (distribution adj processor)	USPAT	OR	OFF	2006/06/12 07:54
L101	10297	709/223-232.ccls.	USPAT	OR	OFF	2006/06/12 07:54
L103	241	709/223-232.ccls. and (distribut$1 same process$1)	USPAT	OR	OFF	2006/06/12 07:54
L104	88	(709/223-232.ccls. and (distribut$1 same process$1)) and secur$1	USPAT	OR	OFF	2006/06/12 07:54
L105	14	((709/223-232.ccls. and (distribut$1 same process$1)) and (backup or fail$1 or redundac$1)and restart$1 and rout$1) and ipsec	USPAT	OR	OFF	2006/06/12 07:54
L106	18	((709/223-232.ccls. and (distribut$1 same process$1)) and secur$1) and ipsec	USPAT	OR	OFF	2006/06/12 07:54
L107	10667	709/220,224,225,219,223,226,228, 232,235,229.ccls.	USPAT	OR	OFF	2006/06/12 07:54
L108	2633	709/220,224,225,219,223,226,228, 232,235,229.ccls. and $rout$1	USPAT	OR	OFF	2006/06/12 07:54
L109	563	(709/220,224,225,219,223,226,228, 232,235,229.ccls. and $rout$1) and (failure same (distribut$ or transmit$ or provid$ or send$))	USPAT	OR	OFF	2006/06/12 07:54
L110	0	((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1) and (failure same (distribut$ or transmit$ or provid$ or send$))) and (tcpip near stack)	USPAT	OR	OFF	2006/06/12 07:54
L111	37	(((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1) and (failure same (distribut$ or transmit$ or provid$ or send$))) and ipsec) and secure	USPAT	OR	OFF	2006/06/12 07:54

EAST Search History

L112	13	(((((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1) and (failure same (distribut$ or transmit$ or provid$ or send$))) and ipsec) and secure) and (fail$2 or redund$2)) and (updat$2 same connect$2) and (message or information or content or packet$2)	USPAT	OR	OFF	2006/06/12 07:54
L113	35	((((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1) and (failure same (distribut$ or transmit$ or provid$ or send$))) and ipsec) and secure) and (fail$2 or redund$2)	USPAT	OR	OFF	2006/06/12 07:54
L114	43	(((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1) and (failure same (distribut$ or transmit$ or provid$ or send$))) and ipsec) and @py<="20010117"	USPAT	OR	OFF	2006/06/12 07:54
L115	42	((((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1) and (failure same (distribut$ or transmit$ or provid$ or send$))) and ipsec) and @py<="20010117") and secur$	USPAT	OR	OFF	2006/06/12 07:54
L116	51	709/226.ccls. and identify$ same transaction	USPAT; DERWENT	OR	OFF	2006/06/12 07:54
L117	27	(709/223-232.ccls. and (distribut$1 same process$1)) and (backup or fail$1 or redundac$1)and restart$1 and rout$1	USPAT	OR	OFF	2006/06/12 07:54
L118	182	(((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$) and @ad>="20010117"	USPAT	OR	OFF	2006/06/12 07:54
L119	1035	(((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$) and @py<="20010117"	USPAT	OR	OFF	2006/06/12 07:54
L120	38	((((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$) and @py<="20010117") and ipsec	USPAT	OR	OFF	2006/06/12 07:54
L121	30	((((709/223-232.ccls. and fail$2 or rdundan$2) and (client near server) and network) and distribut$) and @ad<="20010117") and ipsec	USPAT	OR	OFF	2006/06/12 07:54

L122	43	((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1) and (failure same (distribut$ or transmit$ or provid$ or send$))) and ipsec	USPAT	OR	OFF	2006/06/12 07:54
L123	27	((((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1) and (fail$2 same (distribut$ or transmit$ or provid$ or send$))) and ipsec) and @py<="20010117") and secur$ and primary	USPAT	OR	OFF	2006/06/12 07:54
L124	1077	709/220,224,225,219,223,226,228, 232,235,229.ccls. and $rout$1 and (fail$over or toleran$2 or redundan$2 or recover$1) and (distribut$1 or send$1 or transmit$2 or assign$2)	USPAT	OR	OFF	2006/06/12 07:54
L125	37	(709/220,224,225,219,223,226,228, 232,235,229.ccls. and $rout$1 and (fail$over or toleran$2 or redundan$2 or recover$1) and (distribut$1 or send$1 or transmit$2 or assign$2)) and $direct$1 same backup	USPAT	OR	OFF	2006/06/12 07:54
L126	3	((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1 and (fail$over or toleran$2 or redundan$2 or recover$1) and (distribut$1 or send$1 or transmit$2 or assign$2)) and $direct$1 same backup) and ipsec	USPAT	OR	OFF	2006/06/12 07:54
L127	219	(709/220,224,225,219,223,226,228, 232,235,229.ccls. and $rout$1 and (fail$over or toleran$2 or redundan$2 or recover$1) and (distribut$1 or send$1 or transmit$2 or assign$2)) and $direct$1 and backup	USPAT	OR	OFF	2006/06/12 07:54
L128	24	((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1 and (fail$over or toleran$2 or redundan$2 or recover$1) and (distribut$1 or send$1 or transmit$2 or assign$2)) and $direct$1 and backup) and ipsec	USPAT	OR	OFF	2006/06/12 07:54

L129	20	(((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1 and (fail$over or toleran$2 or redundan$2 or recover$1) and (distribut$1 or send$1 or transmit$2 or assign$2)) and $direct$1 and backup) and ipsec) and secure	USPAT	OR	OFF	2006/06/12 07:54
L130	103	((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1 and (fail$over or toleran$2 or redundan$2 or recover$1) and (distribut$1 or send$1 or transmit$2 or assign$2)) and $direct$1 and backup) and secure	USPAT	OR	OFF	2006/06/12 07:54
L131	0	"380.ccls"	USPAT	OR	OFF	2006/06/12 07:54
L132	0	"380".ccls.	USPAT	OR	OFF	2006/06/12 07:54
L133	9	((((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1) and (failure same (distribut$ or transmit$ or provid$ or send$))) and ipsec) and @py<="20010117") and secur$ and (checkpoint$ or snapshot$)and fail$over	US-PGPUB; USPAT	OR	OFF	2006/06/12 07:54
L134	33	((((709/220,224,225,219,223,226, 228,232,235,229.ccls. and $rout$1) and (failure same (distribut$ or transmit$ or provid$ or send$))) and ipsec) and @py<="20010117") and secur$ and (checkpoint$ or snapshot$)	US-PGPUB; USPAT	OR	OFF	2006/06/12 07:54
L135	0	"08372786".pn.	USPAT	OR	OFF	2006/06/12 07:54
L136	0	"8372786".pn.	USPAT	OR	OFF	2006/06/12 07:54
L137	1	"5491791".pn.	USPAT	OR	OFF	2006/06/12 07:54
L138	1	"5758052".pn.	USPAT	OR	OFF	2006/06/12 07:54
L139	11427	709/223,207,217,219,224,225,226, 229,232,245.ccls.	USPAT	OR	OFF	2006/06/12 07:54
L140	18	709/223,207,217,219,224,225,226, 229,232,245.ccls. and snmp and tl1	USPAT	OR	OFF	2006/06/12 07:54
L141	0	709/223,207,217,219,224,225,226, 229,232,245.ccls. and (simple near netowork near management near protocol)	USPAT	OR	OFF	2006/06/12 07:54
L142	1058	709/223,207,217,219,224,225,226, 229,232,245.ccls. and (simple near netowork near management near protocol or snmp)	USPAT	OR	OFF	2006/06/12 07:54

EAST Search History

L143	3	(709/223,207,217,219,224,225,226, 229,232,245.ccls. and (simple near netowork near management near protocol or snmp)) and (pars$1 or examin$1)and message near type and user near type	USPAT	OR	OFF	2006/06/12 07:54
L144	242	(709/223,207,217,219,224,225,226, 229,232,245.ccls. and (simple near netowork near management near protocol or snmp)) and (pars$1 or examin$1)	USPAT	OR	OFF	2006/06/12 07:54
L145	113	(709/223,207,217,219,224,225,226, 229,232,245.ccls. and (simple near netowork near management near protocol or snmp)) and pars$1	USPAT	OR	OFF	2006/06/12 07:54
L146	3	(709/223,207,217,219,224,225,226, 229,232,245.ccls. and (simple near netowork near management near protocol or snmp)) and (pars$1 or examin$1)and tl1	USPAT	OR	OFF	2006/06/12 07:54
L147	58	709/223,207,217,219,224,225,226, 229,232,245.ccls. and snmp and tl1	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/06/12 07:54
L148	1	(709/223,207,217,219,224,225,226, 229,232,245.ccls. and (simple near netowork near management near protocol or snmp)) and pars$1 and (filter$1 near criteria) and consol$2	USPAT	OR	OFF	2006/06/12 07:54
L149	8	(709/223,207,217,219,224,225,226, 229,232,245.ccls. and (simple near netowork near management near protocol or snmp)) and pars$1 and (filter$1 and criteria) and consol$2	USPAT	OR	OFF	2006/06/12 07:54
L150	17	(709/223,207,217,219,224,225,226, 229,232,245.ccls. and (simple near netowork near management near protocol or snmp)) and pars$1 and filter$1 and consol$2	USPAT	OR	OFF	2006/06/12 07:54
L151	2233	709/223,207,217,219,224,225,226, 229,232,245.ccls. and filter$2 and (monitor or control)	USPAT	OR	OFF	2006/06/12 07:54
L152	2165	(709/223,207,217,219,224,225,226, 229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)	USPAT	OR	OFF	2006/06/12 07:54

EAST Search History

L153	352	((709/223,207,217,219,224,225, 226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2	USPAT	OR	OFF	2006/06/12 07:54
L154	0	(((709/223,207,217,219,224,225, 226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and (client near console$1)	USPAT	OR	OFF	2006/06/12 07:54
L155	151	(((709/223,207,217,219,224,225, 226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$	USPAT	OR	OFF	2006/06/12 07:54
L156	144	((((709/223,207,217,219,224,225, 226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$) and server	USPAT	OR	OFF	2006/06/12 07:54
L157	124	(((((709/223,207,217,219,224,225, 226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$) and server) and client	USPAT	OR	OFF	2006/06/12 07:54
L158	37	((((((709/223,207,217,219,224,225, 226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$) and server) and client) and message near type	USPAT	OR	OFF	2006/06/12 07:54
L159	57	((((((709/223,207,217,219,224,225, 226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$) and server) and client) and (message near type or user near type)	USPAT	OR	OFF	2006/06/12 07:54

EAST Search History

L160	57	((((((709/223,207,217,219,224,225, 226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$) and server) and client) and ((message near type) or (user near type))	USPAT	OR	OFF	2006/06/12 07:54
L161	51	(((((((709/223,207,217,219,224, 225,226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$) and server) and client) and ((message near type) or (user near type))) and fields	USPAT	OR	OFF	2006/06/12 07:54
L162	50	((((((((709/223,207,217,219,224, 225,226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$) and server) and client) and ((message near type) or (user near type))) and fields) and identif$2	USPAT	OR	OFF	2006/06/12 07:54
L163	50	((((((((709/223,207,217,219,224, 225,226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$) and server) and client) and ((message near type) or (user near type))) and fields) and identif$2 and message	USPAT	OR	OFF	2006/06/12 07:54
L164	26	((((((((709/223,207,217,219,224, 225,226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$) and server) and client) and ((message near type) or (user near type))) and fields) and identif$2 and (message or transaction or content or request) near field	USPAT	OR	OFF	2006/06/12 07:54

L165	30	(((((((((709/223,207,217,219,224, 225,226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$) and server) and client) and ((message near type) or (user near type))) and fields) and identif$2 and (message or transaction or content or request) near field	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/06/12 07:54
L166	30	(((((((((709/223,207,217,219,224, 225,226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$) and server) and client) and ((message near type) or (user near type))) and fields) and identif$2 and (message or transaction or content or request) near field	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/06/12 07:54
L167	2854	(((((((((709/223,207,217,219,224, 225,226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$) and server) and client) and ((message near type) or (user near type))) and fields) and identif$2 and (message or transaction or content or request) near field and corba or (common adj object adj request adj broker adj architecture)	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/06/12 07:54
L168	16	(((((((((709/223,207,217,219,224, 225,226,229,232,245.ccls. and filter$2 and (monitor or control)) and snmp or (simple adj network adj management adj protocol)) and pars$2) and consol$) and server) and client) and ((message near type) or (user near type))) and fields) and identif$2 and (message or transaction or content or request) near field and corba	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/06/12 07:54
L169	2	"5951694".pn.	US-PGPUB; USPAT; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/12 07:54

L170	75	(backup or stor$2) near (qos or quality adj service)	USPAT	OR	OFF	2006/06/12 07:54
L171	18	((backup or stor$2) near (qos or quality adj service)) and 709/226, 225,224,228,229.ccls.	USPAT	OR	OFF	2006/06/12 07:54
L172	70930	selec$2 same request$2 same qos or los	USPAT	OR	OFF	2006/06/12 07:54
L173	1	identify$ and request$ and route$ and level adj service and transation	USPAT; DERWENT	OR	OFF	2006/06/12 07:54